

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	65	"5016244"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:18
L3	151	(709/224 or 370/219) and router\$2 and (standby or backup or secondary or active or inactive) and (@ad< "20000428" @rlad< "20000428") and (serial adj port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:22
L4	833	(709/224 or 370/219) and router\$2 and (standby or backup or secondary or active or inactive) and (@ad< "20000428" @rlad< "20000428") and port\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:21
L5	16	(709/224 or 370/219) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:39
L6	0	5 and (serial near2 link\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:14
L7	2	5 and serial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:14
L8	186	impedance same (serial adj port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:39
L9	1	(709/224 or 370/219) and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:39

EAST Search History

L13	70	(709/224 or 370/219) and impedance and serial and port\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:40
L14	2	(709/224 or 370/219) and (impedance same serial same port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:40
L15	47	13 and (@ad< "20000428" @rlad< "20000428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:41
L16	32	15 and (balanc\$4 or redundant or failover or fail-over)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:41
S1	1	impedance near1 (serial adj port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 08:57
S2	186	impedance same (serial adj port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 06:26
S3	165	S2 and (deactivat\$4 or activat\$4 or enabl\$4 or unabl\$4 or disabl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 06:26
S4	112	S3 and (@ad< "20000428" @rlad< "20000428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:41

EAST Search History

S5	10	impedance near6 (serial adj port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 06:26
S6	8	S5 and (deactivat\$4 or activat\$4 or enabl\$4 or unabl\$4 or disabl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 06:26
S7	5	S6 and (@ad< "20000428" @rlad< "20000428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 06:48
S8	3	S7 and reset\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 06:49
S9	5	S5 and reset\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 08:42
S10	17	(server\$2 near2 (redundan\$4 or failover\$2 or fail-over\$2) same messag\$4) and (deactivat\$4 or activat\$4 or enabl\$4 or unabl\$4 or disabl\$4) and reset\$4 and (@ad< "20000428" @rlad< "20000428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 08:46
S11	73	(server\$2 same (redundan\$4 or failover\$2 or fail-over\$2) same messag\$4) and (standby or secondary or backup) and (deactivat\$4 or activat\$4 or enabl\$4 or unabl\$4 or disabl\$4) and reset\$4 and (@ad< "20000428" @rlad< "20000428")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 08:49
S12	35	S11 and (configur\$4 same (file\$2 or databse\$2 or stora\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 08:50

EAST Search History

S13	20	S12 and (serial adj port\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:17
S14	0	impedance and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 08:57